



CN1
PIN ASSIGNMENT


No.	SYMBOL	No.	SYMBOL
1	VL1	26	B1
2	NC	27	B0
3	VL2	28	DENA
4	VGL	29	DGND
5	VDDD	30	NC
6	DGND	31	DGND
7	NC	32	DCLK
8	DGND	33	DGND
9	HD	34	G5
10	U/L	35	G4
11	NC	36	G3
12	VGH	37	G2
13	VCOM	38	G1
14	DGND	39	G0
15	VD	40	DGND
16	DGND	41	R5
17	VDDA	42	R4
18	L/R	43	R3
19	RESET	44	R2
20	POL	45	R1
21	DGND	46	R0
22	B5	47	AGND
23	B4	48	NC
24	B3	49	DGND
25	B2	50	DGND



MEASURE	TOLERANCE		
	A	B	C
Ls16	±0.1	±0.3	±1
16<Ls63	±0.2	±0.5	±1.5
63<Ls250	±0.3	±0.8	±2
250<Ls500	±0.5	±1.2	±3
500<L	±0.8	±2	±4
ANGLE	±1°	±5°	±10°

Detail A
(S=2:1)

PIXEL SIZE
(S=50:1)



NOTE
1. THE DIMENSIONS WITH THE MARK (●) ARE CONTROLLED AS A PARTICULAR CHARACTERISTIC.

DATE		2006/06/28	
APPROVED		Noboru Wada	
CHECKED		Yasuo Yamaguchi	
DRAWN		Y. Kimura	
THIRD ANGLE PROJECTION		OPTREX CORPORATION	
SCALE UNIT		1:1 (mm)	
DATE MFG.		T-91963AH base	
DSCN		DWG SIZE A3	
FINISH:		DWG REV A	

ISSUE	REVISIONS	DRAWN	DATE
Δ	CHANGE OF OUTLINE TOLERANCE.	Y. KIMURA	JUN. 28 '06